

LED Operation Theatre Lights

MATRIX SERIES

MEDITECH (INDIA)®

Creating Your Lifeline



















FEATURES

- Light head is streamlined, ultra-thin with aerodynamic shape and laminar compatibility.
- Germany made OSRAM LED bulbs and French Gaggione Lens guarantee a uniform nature cool lighting in surface and deep cavity procedures.
- Spring arms which can turn around all points of articulation, more easier to maneuver and place.
- Split intensity controller to adjust white balance of light according to surgeon's requirement.
- Revolving outer sterilizable handle at the light head allow to adjust focus dia and positioning the light
- Micro computer digital control with shifts luminance 0%-100% for selection.
- We offer infrared remote controller to facilitate the operation of the light.

TECHNICAL DATA

	Head 1	Head 2
Light head dia	50 cm	50 cm
llumination intensity@1m	140,000 Lux	140,000 Lux
Focus dia	15-25 cm	15-25 cm
Focus adjustable	Yes	Yes
Depth of illumination	100 cm	100 cm
Color temperature	3500K-4500K	3500K-4500
CRI (Color Rendering Index)	95	95
lluminating adjustment	0%-100%	0%-100%
No. of LEDs	96	96
LEDs lifetime	50000 hrs	50000 hrs
Energy consumption	50W	50W
Control unit	SMPS	SMPS

TECHNICAL DATA

Matrix M Matrix 1 Light head dia 50 cm 50 cm 140,000 Lux 140,000 Lux Illumination intensity@1m Focus dia 15-25 cm 15-25 cm Focus adjustable Yes Yes Depth of illumination 100 cm 100 cm 3500K-4500K 3500K-4500K Color temperature CRI (Color Rendering Index) 95 95 0%-100% 0%-100% Illuminating adjustment No. of LEDs 96 96 LEDs lifetime 50000 hrs 50000 hrs 50W Energy consumption 50W SMPS Control unit **SMPS**











Mobile Surgical OT Light Matrix M







MEDITECH (INDIA)®

487/67, Glass Street, National Market, Peeragarhi, New Delhi-87, India. Tel. : +91-11-40392484

Mob. : +91- 9812266676, 9812035477

Email : marketinguk@meditech-india.com info@meditech-india.com

Web : www.meditech-india.com www.surgical-lights.com

Skype: exportmeditech